




the future is safer with altro

altro
transflor

Bus, tram and coach flooring

For passenger comfort and safety

www.altrotransflor.com





the future is safer with altro

altro
transflor

2

Setting the standard and minimising risks

Altro - your trustworthy partner

With over 50 years' experience in the international transport industry, Altro Transflor is renowned as one of the world's leading brands of high performance transport flooring, specialising in the bus and rail industries.

It forms a key part of the highly successful Altro Group. Founded in 1919, it remains a family owned UK company operating in 50 countries worldwide.

Passenger comfort and safety

Our product focus keeps passenger comfort and safety at the forefront of design and engineering. We deliver solutions incorporating slip resistance for the life of your transport, compliance with the latest international smoke and fire regulations and durability. Our products are backed by Altro warranties, so that you can rest assured they won't let you down.



The Altro Transflor integrated solution

Investing in an Altro Transflor product is an investment in a complete system which caters for your every need. A full range of accessories, including adhesives, colour co-ordinated weld rods and sealants, nosings, trims and mouldings is available.



Customer Service and Technical Support

At Altro, we have an international reputation for world-class product innovation, combined with excellent customer service. Product and technical support are available, from initial enquiry through installation and for the life of the product. Your Altro consultant will be happy to advise you on the best solution for your requirements.

We have a dedicated Technical Hotline 00 44 (0) 1462 707 700, should you require any information. Our team is fully trained on testing and approvals and will be happy to show you the results of our products' tests.

Customised design option

If you don't find the right colour in a particular range, call us and we will work with your designers to come up with a bespoke option for you (conditions apply).

Pre-cut service

When time is money, take advantage of our pre-cut service to save time at installation stage and get your vehicles back in service more quickly. We can even include your own logo in the flooring. Please contact your Altro Representative for more information.

Quality matters

You can buy with complete confidence. Our stringent quality control has been internationally accredited with manufacturing excellence awards for the last 20 years.

Buses, trams and coaches

Heavy foot traffic in inner cities and towns demands a tough solution in buses. Altro Transflor delivers

- Water resistant system
- Highly durable
- Slip resistance
- Stain resistance
- Different thicknesses to suit your needs from light to heavy duty
- Design options

Emergency vehicles

Please contact your Altro Representative for further details of our ranges that are suitable for use in emergency vehicles.

Tried and tested

Tested in working vehicles and under aggressive laboratory conditions, details of certification are given on the datasheets for each range.

Slip resistant

Products retain their slip resistance for life owing to the incorporation of slip resistant minerals throughout the entire thickness from surface to base and keep your passengers and staff safe, even in wet conditions.

Detailing

Achieve perfect corners and steps etc to prevent water ingress by using one of several techniques; our technicians will happily advise on which method best suits your installation.

Doing more to protect the environment

We are actively doing more to protect not just the environment but also the health of those who come into contact with our flooring; typically your passengers, drivers, cleaners, maintenance engineers and installers.

One example of our commitment to the environment is in our flooring production. We have never used hazardous heavy metals, plasticisers and carcinogenic, mutagenic or toxic to reproduction (CMR) compounds. We are eliminating the use of all substances which may be subject to any restrictions of the European REACH Regulation.

We have also implemented an environmental management system that conforms to ISO 14001 requirements.



Altro Transflor Chroma™ in a Windmill design

4

Altro Transflor Chroma in a Windmill design has been enhanced to bring you even greater aesthetics for bus interiors, backed by the service and quality you can rely on from Altro.

It features a new, modern design, created by a leading interior bus designer, produced in a wide selection of colours to complement your livery.

It offers excellent slip resistance to keep your passengers safe.

Contains integral **Altrosan bacteriostat**

- Provides enhanced hygiene
- Helps prevent the growth of bacteria



Key features

- Pre-cut service available
- Six colours
- Bespoke colour service available (conditions apply)

Ideal for use with

Altro Transflor Meta

Altro Transflor Chroma



2.2mm



2.7mm



How to order

sample ordering
Tel: 00 44 (0) 1462 707 700
E-mail: samples@altro.com

product information:
Tel: 00 44 (0) 1462 707 600
E-mail: transflor@altro.com

Specification


Format: Roll

Dimensions: 20m x 2.0m


Thickness: 2.2mm / 2.7mm

Weight: 2.6 kg/m² / 3.2 kg/m²


Altro Transflor Chroma in a Windmill design Colour Chart




Saturn LRV 15
 TFCR22406 (2.2mm) WR249
 TFCR27406 (2.7mm) A1M249




Neptune LRV 11
 TFCR22405 (2.2mm) WR231
 TFCR27405 (2.7mm) A1M73




Orion LRV 14
 TFCR22401 (2.2mm) WR83
 TFCR27401 (2.7mm) A1M83



Pluto LRV 15
 TFCR22404 (2.2mm) WR83
 TFCR27404 (2.7mm) A1M83



Titan LRV 21
 TFCR22402 (2.2mm) WR63
 TFCR27402 (2.7mm) A1M239



Eros LRV 7
 TFCR22403 (2.2mm) WR100
 TFCR27403 (2.7mm) A1M100

LRV = Light Reflectance Value
 WR = Weld Rod Code
 A1M = Mastic Code

For technical specifications and details of accessories, visit www.altrotransflor.com

Experience has shown that printing cannot reproduce colours accurately. If colour choice is critical, please request a sample of the material.

Altro Transflor Meta¹

6

Altro Transflor Meta features safety as standard. Designed with your passengers' comfort in mind, it creates calm interiors, providing a subdued contrast to seating and interior fixtures and fittings. It is ideally suited for use in buses and coaches, minibuses, ambulances and emergency vehicles.

Altro Transflor Meta is engineered in three thicknesses to suit your installation requirements. It is a highly resilient and durable PVC flooring with a quality wear layer, incorporating silicon carbide and aluminium oxide grains for slip resistance. Dimensional stability is increased by including the scrim in the middle.



Contains integral **Altrosan bacteriostat**

- Provides enhanced hygiene
- Helps prevent the growth of bacteria

Key features

- Pre-cut service available
- Ten colours
- Bespoke colour service available (conditions apply)

Ideal for use with

Altro Transflor Chroma

Altro Transflor Chroma in a Windmill design



1.8mm



2.7mm



2.2mm



How to order

sample ordering
Tel: 00 44 (0) 1462 707 700
E-mail: samples@altro.com

product information:
Tel: 00 44 (0) 1462 707 600
E-mail: transflor@altro.com

Specification


Format: Roll

Dimensions: 20m x 2.0m

Thickness: 1.8mm / 2.2mm / 2.7mm

Weight: 2.2 kg/m² / 2.6 kg/m² / 3.2 kg/m²

Altro Transflor Meta Colour Chart



Pewter Grey

TFM1889 (1.8mm) LRV 25
 TFM2289 (2.2mm) WR81
 TFM2789 (2.7mm) A1M81




Black

TFM18892 (1.8mm) LRV 7
 TFM22892 (2.2mm) WR100
 TFM27892 (2.7mm) A1M100




Storm

TFM18903 (1.8mm) LRV 16
 TFM22903 (2.2mm) WR82
 TFM27903 (2.7mm) A1M82




Genome

TFM1802 (1.8mm) LRV 15
 TFM2202 (2.2mm) WR83
 TFM2702 (2.7mm) A1M83



Midnight

TFM18421 (1.8mm) LRV 8
 TFM22421 (2.2mm) WR72
 TFM27421 (2.7mm) A1M72



Diablo


TFM1875 (1.8mm) LRV 13
 TFM2275 (2.2mm) WR249
 TFM2775 (2.7mm) A1M249



Radial


TFM1806 (1.8mm) LRV 7
 TFM2206 (2.2mm) WR39
 TFM2706 (2.7mm) A1M73

LRV = Light Reflectance Value
 WR = Weld Rod Code
 A1M = Mastic Code




Bison

TFM1847 (1.8mm) LRV 21
 TFM2247 (2.2mm) WR63
 TFM2747 (2.7mm) A1M239



Patrol

TFM1876 (1.8mm) LRV 20
 TFM2276 (2.2mm) WR250
 TFM2776 (2.7mm) A1M250



Torino

TFM1874 (1.8mm) LRV 10
 TFM2274 (2.2mm) WR248
 TFM2774 (2.7mm) A1M238

For technical specifications and details of accessories, visit www.altrotransflor.com

Experience has shown that printing cannot reproduce colours accurately. If colour choice is critical, please request a sample of the material.

Altro Transflor Chroma™

Altro Transflor Chroma offers you all the technical features of Altro Transflor Meta in a high design option. This tough, popular range performs at its best in high density, inner city traffic. It boasts first-rate dirt-hiding properties, making it perfect for urban vehicles and coaches.

Altro Transflor Chroma adds a touch of style to your interiors; coloured multi-chips enhance the broad palette, harmonising with your livery or branding.

Contains integral **Altrosan bacteriostat**

- Provides enhanced hygiene
- Helps prevent the growth of bacteria



Key features

- Pre-cut service available
- 25 multi-chip colours
- Bespoke colour service available (conditions apply)

Ideal for use with

Altro Transflor Meta



1.8mm



2.7mm



2.2mm



How to order

sample ordering
Tel: 00 44 (0) 1462 707 700
E-mail: samples@altro.com

product information:
Tel: 00 44 (0) 1462 707 600
E-mail: transflor@altro.com

Specification


Format: Roll

Dimensions: 20m x 2.0m


Thickness: 1.8mm / 2.2mm / 2.7mm

Weight: 2.2 kg/m² / 2.6 kg/m² / 3.2 kg/m²


Altro Transflor Chroma Colour Chart




Sprint
 TFCR1874 (1.8mm) LRV 12
 TFCR2274 (2.2mm) WR248
 TFCR2774 (2.7mm) A1M238




Jetta
 TFCR1866 (1.8mm) LRV 19
 TFCR2266 (2.2mm) WR246
 TFCR2766 (2.7mm) A1M246




Fiesta
 TFCR1869 (1.8mm) LRV 38
 TFCR2269 (2.2mm) WR247
 TFCR2769 (2.7mm) A1M247




Sierra
 TFCR1881 (1.8mm) LRV 21
 TFCR2281 (2.2mm) WR63
 TFCR2781 (2.7mm) A1M239




Samba
 TFCR1877 (1.8mm) LRV 11
 TFCR2277 (2.2mm) WR251
 TFCR2777 (2.7mm) A1M238




Viva
 TFCR1876 (1.8mm) LRV 20
 TFCR2276 (2.2mm) WR250
 TFCR2776 (2.7mm) A1M250




Viper
 TFCR1865 (1.8mm) LRV 14
 TFCR2265 (2.2mm) WR83
 TFCR2765 (2.7mm) A1M83




Spider
 TFCR1867 (1.8mm) LRV 26
 TFCR2267 (2.2mm) WR81
 TFCR2767 (2.7mm) A1M81




Mustang
 TFCR1868 (1.8mm) LRV 36
 TFCR2268 (2.2mm) WR20
 TFCR2768 (2.7mm) A1M20




Tuscan
 TFCR1878 (1.8mm) LRV 14
 TFCR2278 (2.2mm) WR83
 TFCR2778 (2.7mm) A1M83




Capri
 TFCR1860 (1.8mm) LRV 11
 TFCR2260 (2.2mm) WR231
 TFCR2760 (2.7mm) A1M73




Quattro
 TFCR1875 (1.8mm) LRV 15
 TFCR2275 (2.2mm) WR249
 TFCR2775 (2.7mm) A1M249




Cortina
 TFCR1862 (1.8mm) LRV 30
 TFCR2262 (2.2mm) WR245
 TFCR2762 (2.7mm) A1M203




Cayman
 TFCR1861 (1.8mm) LRV 14
 TFCR2261 (2.2mm) WR83
 TFCR2761 (2.7mm) A1M83




Mirage
 TFCR1873 (1.8mm) LRV 38
 TFCR2273 (2.2mm) WR20
 TFCR2773 (2.7mm) A1M20




Esprit
 TFCR1864 (1.8mm) LRV 36
 TFCR2264 (2.2mm) WR04
 TFCR2764 (2.7mm) A1M85




Elan
 TFCR1871 (1.8mm) LRV 26
 TFCR2271 (2.2mm) WR81
 TFCR2771 (2.7mm) A1M81




Strada
 TFCR1863 (1.8mm) LRV 26
 TFCR2263 (2.2mm) WR81
 TFCR2763 (2.7mm) A1M81




Civic
 TFCR1879 (1.8mm) LRV 35
 TFCR2279 (2.2mm) WR04
 TFCR2779 (2.7mm) A1M85



Zeal
 TFCR1833 (1.8mm) LRV 15
 TFCR2233 (2.2mm) WR83
 TFCR2733 (2.7mm) A1M83



Sigma
 TFCR1882 (1.8mm) LRV 14
 TFCR2282 (2.2mm) WR83
 TFCR2782 (2.7mm) A1M83



Thema
 TFCR1880 (1.8mm) LRV 24
 TFCR2280 (2.2mm) WR52
 TFCR2780 (2.7mm) A1M52



Mineral
 TFCR1830 (1.8mm) LRV 16
 TFCR2230 (2.2mm) WR83
 TFCR2730 (2.7mm) A1M83



Phantom
 TFCR1872 (1.8mm) LRV 7
 TFCR2272 (2.2mm) WR100
 TFCR2772 (2.7mm) A1M100



Cyber
 TFCR1802 (1.8mm) LRV 14
 TFCR2202 (2.2mm) WR83
 TFCR2702 (2.7mm) A1M83

LRV = Light Reflectance Value
WR = Weld Rod Code
A1M = Mastic Code

For technical specifications and details of accessories, visit www.altrotransflor.com

Experience has shown that printing cannot reproduce colours accurately. If colour choice is critical, please request a sample of the material.

Altro Transflor Timbersafe™ II NEW PRODUCT

The perfect choice for style and comfort, this new range of authentic, wood-look transport flooring, brings the beauty and warmth of home into your vehicles.

Certified for safety and performance, Altro Transflor Timbersafe II is flexible and easy to install.

Contains integral **Altrosan bacteriostat**

- Provides enhanced hygiene
- Helps prevent the growth of bacteria

Key features

- Pre-cut service available
- Three finishes
- Bespoke colour service available (conditions apply)



2.0mm



How to order

sample ordering
Tel: 00 44 (0) 1462 707 700
E-mail: samples@altro.com

product information:
Tel: 00 44 (0) 1462 707 600
E-mail: transflor@altro.com

Specification
Format: Roll
Dimensions: 20m x 2.0m
Thickness: 2mm
Weight: 2.6 kg/m²

Altro Transflor Timbersafe II Colour Chart



Traditional Oak

TFS2018
LRV 15
WR16
A1M258



Warm Cherry

TFTS2022
LRV 13
WR160
A1M160



Rich Walnut

TFTS2024
LRV 11
WR227
A1M227

LRV = Light Reflectance Value
WR = Weld Rod Code
A1M = Mastic Code

For technical specifications and details of accessories, visit www.altrotransflor.com

Experience has shown that printing cannot reproduce colours accurately. If colour choice is critical, please request a sample of the material.



the future is safer with altro

altro
transflor



Sustainability


We are the first manufacturer to recycle safety flooring and are committed to a global programme of sustainability and corporate social responsibility.

Altro Limited,
Works Road,
Letchworth Garden City,
Herts, SG6 1NW, England.
Tel: +44 1462 707600
Fax: +44 1462 480010
e-mail: transflor@altro.com
www.altrotransflor.com

Altro Floors - USA,
Transflor Division:
12648 Clark Street,
Santa Fe Springs, CA 90670 USA
Tel: 800-382-0333
Fax: 562-944-8720
Email: transflor@altrofloors.com
www.altrotransflor.com

Altro APAC Pty Ltd,
3 St. Andrews Court,
Rowville, Victoria 3178,
Australia.
Tel: +61 3 9764 5666
Fax: +61 3 9764 5655
e-mail: info@asf.com.au
www.asf.com.au



 Altro, the future is safer with altro, Altro Transflor Chroma in a Windmill Design, Altro Transflor Meta, Altro Transflor Chroma, Altro Timbersafe II and Altro Transflor are trademarks of Altro Limited.

www.altrotransflor.com