

## Skylights and smoke extractors for warm roofs

### Skylights *with insulated metal base*

Double-walled 10 mm polycarbonate filling\* - white.

High resistance 1200joules.

Fire rating: M2.

\*Other filling: contact SOPREMA.



#### 1 STEEL FIX skylight

Skylight for zenithal illumination only.



#### 2 STEEL AIR skylight

Skylight for zenithal illumination only and ventilation.

Poles (1,50 m, 2 m or 2,50 m)



#### 3 STEEL AIR Electric skylight

Skylight for zenithal illumination only and ventilation. Opening and closing electrically operated.

#### 3 STEEL PASS skylight

Skylight for zenithal illumination and permitting roof access.



### Smoke extractors with insulated metal base

#### 4 STEEL FEU Fire security

smoke extractor

Smoke extractor 110°. Also allows zenithal illumination and ventilation. Opening and closing winch or pneumatic jack.

Winch kit, electric or pneumatic



#### 5 STEEL FEU R 17 Winch

smoke extractor

Smoke extractor 110°. Also allows zenithal illumination and ventilation. Opening and closing winch.

Winch kit, electric or pneumatic



#### 6 STEEL FEU R 17 C02

**Pneumatic** smoke extractor

Smoke extractor 140°. Also allows zenithal illumination and ventilation. Opening and closing pneumatic jack.

Winch kit, pneumatic (C02)



### Options

- Burglar-proof system
- Soundproofing system
- Sunproof protection
- Aluminium cover
- Arches, domes, mini-sheds

## Skylights and smoke extractors for cold roofs

### **Skylights** with polyester base\*

Double-walled 10 mm polycarbonate filling\* - white.

High resistance 1200joules.

Fire rating: M2.

\* Other filling: contact SOPREMA.

#### **1 POLYFIX** skylight

Skylight for zenithal illumination only.



#### **2 POLYAIR** skylight

Skylight for zenithal illumination and ventilation.

Poles (1,50 m, 2 m or 2,50 m)



#### **POLYAIR** Electric skylight

Skylight for zenithal illumination and ventilation. Opening and closing electrically operated.

#### **3 POLYPASS** skylight

Skylight for zenithal illumination and permitting roof access.



## Options

- Burglar-proof system
- Soundproofing system
- Sunproof protection
- Aluminium cover
- Arches, domes, mini-sheds

## Smoke extractors with polyester base\*

### 4 POLYFEU Fire security

smoke extractor

Smoke extractor 110°. Also allows zenithal illumination and ventilation. Opening and closing winch or pneumatic jack.

Winch kit, electric or pneumatic



### 5 POLYFEU R 17 Winch

smoke extractor

Smoke extractor 110°. Also allows zenithal illumination and ventilation. Opening and closing winch.

Winch kit, electric or pneumatic



### 6 POLYFEU R 17 C02 Pneumatic

smoke extractor

Smoke extractor 140°. Also allows zenithal illumination and ventilation. Opening and closing pneumatic jack.

Winch kit, pneumatic (C02)



\* Hopper dimensions according to steel deck profiles: consult SOPREMA.